

EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.

# R46 Series, Class X2, 310 VAC, 110°C



#### **Overview**

The R46 Series is constructed of metallized polypropylene film encapsulated with self-extinguishing resin in a box of material meeting the requirements of UL 94 V–0.

### **Applications**

For worldwide use in electromagnetic interference (EMI) suppression in across-the-line applications requiring X2 safety classification. Intended for use in situations where capacitor failure would not result in exposure to electric shock. Not for use in "series with mains" type applications.

#### **Benefits**

· Approvals: ENEC, UL, cUL, CQC

Class X2 (IEC 60384-14)

Rated voltage: 310 VAC 50/60 Hz
Capacitance range: 0.01 – 10 μF

• Lead spacing: 10.0 – 37.5 mm

• Capacitance tolerance: ±20%, ±10%

Climatic category: 40/110/56, IEC 60068–1

• Tape and reel in accordance with IEC 60286-2

RoHS Compliant and lead-free terminations

• Operating temperature range of -40°C to +110°C

100% screening factory test at 2,200 VDC/1,500 VAC

· Self-healing properties



# **Part Number System**

R46	3	N	3150	00	01	M
Series	Rated Voltage (VAC)	Lead Spacing (mm)	Capacitance Code (pF)	Packaging	Internal Use	Capacitance Tolerance
X2, Metallized Polypropylene	3 = 310	F = 10.0 I = 15.0 N = 22.5 R = 27.5 W = 37.5	The last three digits represent significant figures. The first digit specifies number of zeros to be added.	See Ordering Options Table	01 02 L2 M1 M2 N0 N1	K = ±10% M = ±20%





# **Ordering Options Table**


Load Cassins		Lood Louith	l ood ood	
Lead Spacing Nominal (mm)	Type of Leads and Packaging	Lead Length (mm)	Lead and Packaging Code	
Nominal (mm)		(11111)	rackaging code	
	Standard Lead and Packaging Options			
	Bulk (Bag) – Short Leads	4 +2/-0	00	
	Ammo Pack	H <sub>0</sub> = 18.5 +/-0.5	DQ	
	Other Lead and Packaging Options			
	Tape & Reel (Large Reel)	H <sub>0</sub> = 18.5 +/-0.5	CK	
40	Bulk (Bag) – Short Leads	2.7 +0.5/-0	JA	
10,	Bulk (Bag) – Short Leads	3.5 +0.5/-0	JB	
15, 22.5	Bulk (Bag) – Short Leads	4.0 +0.5/-0	JE	
22.5	Bulk (Bag) – Short Leads	3.2 +0.3/-0.2	JH	
	Bulk (Bag) – Long Leads	18 +1/-1	JM	
	Bulk (Bag) – Long Leads	30 +5/-0	40	
	Bulk (Bag) – Long Leads	25 +2/-1	50	
	Bulk (Bag) – Insulated Rigid Leads	30 +5/-0 (sp 8+2/-2)	51	
	Bulk (Bag) – Insulated Flexible Leads	150 +5/-5 (sp 8+2/-2)	52	
	Built (Bug) Interlated Floxible Education	100 10/ 0 (op 0 12/ 2)	02	
	Standard Lead and Packaging Options			
	Bulk (Bag) – Short Leads	4 +2/-0	00	
	Tape & Reel (Large Reel)	H <sub>0</sub> = 18.5 +/-0.5	CK	
	Other Lead and Packaging Options			
	Bulk (Bag) – Short Leads	2.7 +0.5/-0	JA	
	Bulk (Bag) – Short Leads	3.5 +0.5/-0	JB	
27.5	Bulk (Bag) – Short Leads	4.0 +0.5/-0	JE	
	Bulk (Bag) – Short Leads	3.2 +0.3/-0.2	JH	
	Bulk (Bag) – Long Leads	18 +1/-1	JM	
	Bulk (Bag) – Long Leads	30 +5/-0	40	
	Bulk (Bag) – Long Leads	25 +2/-1	50	
	Bulk (Bag) – Insulated Rigid Leads	30 +5/-0 (sp 8+2/-2)	51	
	Bulk (Bag) – Insulated Flexible Leads	150 +5/-5 (sp 8+2/-2)	52	
	Standard Lead and Packaging Options			
	Bulk (Bag) – Short Leads	4 +2/-0	00	
	Other Lead and Packaging Options			
	Bulk (Bag) – Short Leads	2.7 +0.5/-0	JA	
	Bulk (Bag) – Short Leads	3.5 +0.5/-0	JB	
37.5	Bulk (Bag) – Short Leads	4.0 +0.5/-0	JE	
01.0	Bulk (Bag) – Short Leads	3.2 +0.3/-0.2	JH	
	Bulk (Bag) – Long Leads	18 +1/-1	JM	
	Bulk (Bag) – Long Leads	30 +5/-0	40	
	Bulk (Bag) – Long Leads	25 +2/-1	50	
	Bulk (Bag) – Insulated Rigid Leads	30 +5/-0 (sp 8+2/-2)	51	
	Bulk (Bag) – Insulated Flexible Leads	150 +5/-5 (sp 8+2/-2)	52	



### **Dimensions – Millimeters**









р		В		Н		L		d	
Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance
10.0	+/-0.4	4.0	+0.2	9.0	+0.1	13.0	+0.2	0.6	+/-0.05
10.0	+/-0.4	5.0	+0.2	11.0	+0.1	13.0	+0.2	0.6	+/-0.05
10.0	+/-0.4	6.0	+0.2	12.0	+0.1	13.0	+0.2	0.6	+/-0.05
15.0	+/-0.4	5.0	+0.2	11.0	+0.1	18.0	+0.3	0.6	+/-0.05
15.0	+/-0.4	6.0	+0.2	12.0	+0.1	18.0	+0.3	0.6	+/-0.05
15.0	+/-0.4	6.0	+0.2	17.5	+0.1	18.0	+0.3	0.6	+/-0.05
15.0	+/-0.4	7.5	+0.2	13.5	+0.1	18.0	+0.5	0.6	+/-0.05
15.0	+/-0.4	7.5	+0.2	18.5	+0.1	18.0	+0.5	0.8	+/-0.05
15.0	+/-0.4	8.5	+0.2	14.5	+0.1	18.0	+0.5	0.6	+/-0.05
15.0	+/-0.4	9.0	+0.2	12.5	+0.1	18.0	+0.5	0.6	+/-0.05
15.0	+/-0.4	10.0	+0.2	16.0	+0.1	18.0	+0.5	0.8	+/-0.05
15.0	+/-0.4	11.0	+0.2	19.0	+0.1	18.0	+0.5	0.8	+/-0.05
15.0	+/-0.4	13.0	+0.2	12.0	+0.1	18.0	+0.5	0.8	+/-0.05
22.5	+/-0.4	6.0	+0.2	15.0	+0.1	26.5	+0.3	0.8	+/-0.05
22.5	+/-0.4	7.0	+0.2	16.0	+0.1	26.5	+0.3	0.8	+/-0.05
22.5	+/-0.4	10.0	+0.2	18.5	+0.1	26.5	+0.3	0.8	+/-0.05
22.5	+/-0.4	11.0	+0.2	20.0	+0.1	26.5	+0.3	0.8	+/-0.05
22.5	+/-0.4	13.0	+0.2	22.0	+0.1	26.5	+0.3	0.8	+/-0.05
27.5	+/-0.4	9.0	+0.2	17.0	+0.1	32.0	+0.3	0.8	+/-0.05
27.5	+/-0.4	11.0	+0.2	20.0	+0.1	32.0	+0.3	0.8	+/-0.05
27.5	+/-0.4	13.0	+0.2	22.0	+0.1	32.0	+0.3	0.8	+/-0.05
27.5	+/-0.4	13.0	+0.2	25.0	+0.1	32.0	+0.3	0.8	+/-0.05
27.5	+/-0.4	14.0	+0.2	28.0	+0.1	32.0	+0.3	0.8	+/-0.05
27.5	+/-0.4	18.0	+0.2	33.0	+0.1	32.0	+0.3	0.8	+/-0.05
27.5	+/-0.4	22.0	+0.2	37.0	+0.1	32.0	+0.3	0.8	+/-0.05
		Note: S	ee Ordering (	Options Tabl	e for lead ler	ngth (LL/H₀)	options.		



### **Dimensions - Millimeters cont'd**

# 






	рВ		Н		L		d		
Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance
37.5	+/-0.4	11.0	+0.3	22.0	+0.1	41.5	+0.3	1.0	+/-0.05
37.5	+/-0.4	13.0	+0.3	24.0	+0.1	41.5	+0.3	1.0	+/-0.05
37.5	+/-0.4	16.0	+0.3	28.5	+0.1	41.5	+0.3	1.0	+/-0.05
37.5	+/-0.4	19.0	+0.3	32.0	+0.1	41.5	+0.3	1.0	+/-0.05
37.5	+/-0.4	20.0	+0.3	40.0	+0.1	41.5	+0.3	1.0	+/-0.05
37.5	+/-0.4	24.0	+0.3	44.0	+0.1	41.5	+0.3	1.0	+/-0.05
37.5	+/-0.4	30.0	+0.3	45.0	+0.1	41.5	+0.3	1.0	+/-0.05
		Note: S	ee Ordering (	Options Tab	le for lead ler	ngth (LL/H₀)	options.		



### **Performance Characteristics**

Dielectric	Polypropylene film
Plates	Metal layer deposited by evaporation under vacuum
Winding	Non-inductive type
Leads	Tinned wire
Protection	Plastic case, thermosetting resin filled. Box material is solvent resistant and flame retardant according to UL94.
Related documents	IEC 60384-14, EN 60384-14
Rated Voltage (V <sub>R</sub> )	310 VAC (50/60 Hz), 630 VDC
Capacitance Range	0.010 μF to 10 μF
Capacitance Values	E6 series (IEC 60063) measured @ 1 kHz and +20 ±1°C
Capacitance Tolerance	±10%, ±20%
Temperature Range	-40°C to +110°C
Climatic Category	40/110/56 IEC 60068-1
	Storage time: ≤ 24 months from the date marked on the label package
	Average relative humidity per year ≤ 70%
Storage Conditions	RH ≤ 85% for 30 days randomly distributed throughout the year
	Dew is absent
	Temperature: −40 to 80°C (see "Maximum Humidity in Storage Conditions" graph below)
Approvals	ENEC, UL, cUL, CQC

# Maximum Humidity in Storage Conditions






### **Performance Characteristics cont'd**

Dissipation Factor (tanδ)	≤ 0.1% (0.06%*) @ 1 kHz , +25°C ±5°C (* typical value)					
Test Voltage Between Terminals	The 100% screening factory test is carried out at 2,200 VDC/1,500 VAC. The voltage level is selected to meet the requirements in applicable equipment standards. All electrical characteristics are checked after the test. It is not permitted to repeat this test as there is a risk to damage the capacitor. KEMET is not liable in such case for any failures.					
	Measured at +25°C ±5°C, according to IEC 60384–2					
	Minimum Values Between Terminals					
Insulation Resistance	Voltage Charge	Voltage Charge Time	C ≤ 0.33 µF	C > 0.33 µF		
	100 VDC	1 minute	$\geq 1 \cdot 10^5 \mathrm{M}\Omega$ ( $\geq 5 \cdot 10^5 \mathrm{M}\Omega$ )*	≥ 30,000 M $\Omega \cdot \mu F$ ( ≥ 150,000 M $\Omega \cdot \mu F$ )*		
In DC Applications	Recommended voltage ≤ 630 VDC					

<sup>\*</sup> Typical value

# **Impedance Graph**





### **Environmental Test Data**

Test	IEC Publication	Procedure
Endurance	EN/IEC 60384-14	1.25 x V <sub>R</sub> VAC 50 Hz, once every hour increase to 1,000 VAC for 0.1 second, 1,000 hours at upper rated temperature
Vibration	IEC 60068-2-6 Test Fc	3 directions at 2 hours each 10 – 55 Hz at 0.75 mm or 98 m/s <sup>2</sup>
Bump	IEC 60068-2-29 Test Eb	1,000 bumps at 390 m/s <sup>2</sup>
Change of Temperature	IEC 60068-2-14 Test Na	Upper and lower rated temperature 5 cycles
Active Flammability	IEC 60384-14	V <sub>R</sub> + 20 surge pulses at 2.5 kV (pulse every 5 seconds)
Passive Flammability	IEC 60384-14	IEC 60384-1, IEC 60695-11-5 Needle flame test
Damp Heat Steady State	IEC 60068-2-78 Test Cab	+40°C and 93% RH, 56 days

# **Approvals**

Mark	Specification	File Number
	EN/IEC 60384-14	V4413
c SN° us	UL 60384-14 and CAN/CSA E60384-14 (310VAC)	E97797
Cec	IEC 60384-14	CQC08001026549 CQC11001060118 CQC13001087757 CQC14001116028 CQC13001101266 CQC14001116000

# **Environmental Compliance**

All KEMET EMI capacitors are RoHS Compliant.



# **Table 1 – Ratings & Part Number Reference**

Capacitance	Dime	ensions ir	n mm	Lead Spacing	dV/dt	New KEMET	Largey Part Number
Value (µF)	В	Н	L	(p)	(V/µs)	Part Number	Legacy Part Number
0.010	4.0	9.0	13.0	10.0	500	463F2100(1)N0(2)	R463F2100(1)N0(2)
0.015	4.0	9.0	13.0	10.0	500	463F2150(1)N0(2)	R463F2150(1)N0(2)
0.022	4.0	9.0	13.0	10.0	500	463F2220(1)N0(2)	R463F2220(1)N0(2)
0.033	5.0	11.0	13.0	10.0	500	463F2330(1)M1(2)	R463F2330(1)M1(2)
0.047	5.0	11.0	13.0	10.0	500	463F2470(1)N0(2)	R463F2470(1)N0(2)
0.068	6.0	12.0	13.0	10.0	500	463F2680(1)M1(2)	R463F2680(1)M1(2)
0.10	6.0	12.0	13.0	10.0	500	463F3100(1)M1(3)	R463F3100(1)M1(3)
0.010	5.0	11.0	18.0	15.0	400	463I2100(1)01(2)	R463I2100(1)01(2)
0.015	5.0	11.0	18.0	15.0	400	46312150(1)01(2)	R463I2150(1)01(2)
0.022	5.0	11.0	18.0	15.0	400	46312220(1)01(2)	R463I2220(1)01(2)
0.033	5.0	11.0	18.0	15.0	400	46312330(1)01(2)	R463I2330(1)01(2)
0.047	5.0	11.0	18.0	15.0	400	46312470(1)01(2)	R463I2470(1)01(2)
0.068	5.0	11.0 11.0	18.0 18.0	15.0	400	46312680(1)01(2)	R463I2680(1)01(2)
0.10 0.15	5.0 6.0	12.0	18.0	15.0 15.0	400 400	463I3100(1)M1(2)	R463I3100(1)M1(2)
0.15	9.0	12.0	18.0	15.0	400	463I3150(1)M2(2) 463I3150(1)L2(2)	R463I3150(1)M2(2) R463I3150(1)L2(2)
0.15	9.0 7.5	12.5	18.0	15.0	400	46313220(1)M2(2)	R463I3220(1)M2(2)
0.22	9.0	12.5	18.0	15.0	400	46313220(1)M2(2)	R463I3220(1)L2(2)
0.22	6.0	17.5	18.0	15.0	400	46313220(1)02(2)	R463I3220(1)02(2)
0.33	8.5	14.5	18.0	15.0	400	463I3330(1)N0(2)	R463I3330(1)N0(2)
0.33	10.0	16.0	18.0	15.0	400	463I3330(1)M1(2)	R463I3330(1)M1(2)
0.33	7.5	18.5	18.0	15.0	400	46313330(1)02(2)	R463I3330(1)02(2)
0.33	13.0	12.0	18.0	15.0	400	463I3330(1)01(2)	R463I3330(1)01(2)
0.47	10.0	16.0	18.0	15.0	400	463I3470(1)N0(3)	R463I3470(1)N0(3)
0.47	11.0	19.0	18.0	15.0	400	463I3470(1)M1(2)	R463I3470(1)M1(2)
0.56	11.0	19.0	18.0	15.0	400	46313560(1)N0(2)	R463I3560(1)N0(2)
0.60	11.0	19.0	18.0	15.0	400	463I3600(1)N0(2)	R463I3600(1)N0(2)
0.15	6.0	15.0	26.5	22.5	200	463N3150(1)01(2)	R463N3150(1)01(2)
0.22	6.0	15.0	26.5	22.5	200	463N3220(1)M1(2)	R463N3220(1)M1(2)
0.33	6.0	15.0	26.5	22.5	200	463N3330(1)N0(2)	R463N3330(1)N0(2)
0.47	7.0	16.0	26.5	22.5	200	463N3470(1)N0(2)	R463N3470(1)N0(2)
0.68	10.0	18.5	26.5	22.5	200	463N3680(1)M2(2)	R463N3680(1)M2(2)
1.0	10.0	18.5	26.5	22.5	200	463N4100(1)N2(3)	R463N4100(1)N2(3)
1.0	11.0	20.0	26.5	22.5	200	463N4100(1)N1(2)	R463N4100(1)N1(2)
1.5	13.0	22.0	26.5	22.5	200	463N4150(1)N1(2)	R463N4150(1)N1(2)
0.47	9.0	17.0	32.0	27.5	150	463R3470(1)01(2)	R463R3470(1)01(2)
0.68	9.0	17.0	32.0	27.5	150	463R3680(1)M1(2)	R463R3680(1)M1(2)
1.0	11.0	20.0	32.0	27.5	150	463R4100(1)M1(2)	R463R4100(1)M1(2)
1.5	13.0	22.0	32.0	27.5	150	463R4150(1)M1(2)	R463R4150(1)M1(2)
2.2	13.0	25.0	32.0	27.5	150	463R4220(1)M2(2)	R463R4220(1)M2(2)
2.2	14.0	28.0	32.0	27.5	150	463R4220(1)M1(2)	R463R4220(1)M1(2)
3.3 4.7	18.0	33.0	32.0	27.5 27.5	150 150	463R4330(1)M2(2)	R463R4330(1)M2(2)
4.7	18.0 22.0	33.0 37.0	32.0 32.0	27.5 27.5	150	463R4470(1)M2(2) 463R4470(1)M1(2)	R463R4470(1)M2(2)
4. <i>t</i> 1.5	11.0	22.0	32.0 41.5	37.5	100	( ) ( )	R463R4470(1)M1(2)
2.2	11.0	22.0	41.5	37.5	100	463W4150(1)M1(2) 463W4220(1)M2(3)	R463W4150(1)M1(2) R463W4220(1)M2(3)
2.2	13.0	24.0	41.5	37.5 37.5	100	463W4220(1)M1(2)	R463W4220(1)M1(2)
3.3	16.0	28.5	41.5	37.5	100	463W4330(1)M1(2)	R463W4330(1)M1(2)
4.7	16.0	28.5	41.5	37.5	100	463W4470(1)M2(3)	R463W4470(1)M2(3)
4.7	19.0	32.0	41.5	37.5	100	463W4470(1)M1(2)	R463W4470(1)M1(2)
6.8	20.0	40.0	41.5	37.5	100	463W4680(1)M2(2)	R463W4680(1)M2(2)
6.8	24.0	44.0	41.5	37.5	100	463W4680(1)M1(2)	R463W4680(1)M1(2)
10.0	30.0	45.0	41.5	37.5	100	463W5100(1)M1(2)	R463W5100(1)M1(2)
Capacitance Value (µF)	B (mm)	H (mm)	L (mm)	Lead	dV/dt (V/μs)	New KEMET	Legacy Part Number
,		` ′	<u> </u>	Spacing (p)	l , , ,	Part Number	<u> </u>

<sup>(1)</sup> Insert lead and packaging code. See Ordering Options Table for available options.

<sup>(2)</sup>  $M = \pm 20\%$ ,  $K = \pm 10\%$ 

<sup>(3)</sup>  $M = \pm 20\%$  (only available tolerance).



## **Soldering Process**


The implementation of the RoHS directive has resulted in the selection of SnAgCu (SAC) alloys or SnCu alloys as primary solder. This has increased the liquidus temperature from that of 183°C for SnPb eutectic alloy to 217 – 221°C for the new alloys. As a result, the heat stress to the components, even in wave soldering, has increased considerably due to higher pre-heat and wave temperatures. Polypropylene capacitors are especially sensitive to heat (the melting point of polypropylene is 160 – 170°C). Wave soldering can be destructive, especially for mechanically small polypropylene capacitors (with lead spacing of 5 mm to 15 mm), and great care has to be taken during soldering. The recommended solder profiles from KEMET should be used. Please consult KEMET with any questions. In general, the wave soldering curve from IEC Publication 61760-1 Edition 2 serves as a solid guideline for successful soldering. Please see Figure 1.

Reflow soldering is not recommended for through-hole film capacitors. Exposing capacitors to a soldering profile in excess of the above the recommended limits may result to degradation or permanent damage to the capacitors.

Do not place the polypropylene capacitor through an adhesive curing oven to cure resin for surface mount components. Insert through-hole parts after the curing of surface mount parts. Consult KEMET to discuss the actual temperature profile in the oven, if through-hole components must pass through the adhesive curing process. A maximum two soldering cycles is recommended. Please allow time for the capacitor surface temperature to return to a normal temperature before the second soldering cycle.


#### **Manual Soldering Recommendations**

Following is the recommendation for manual soldering with a soldering iron.



The soldering iron tip temperature should be set at 350°C (+10°C maximum) with the soldering duration not to exceed more than 3 seconds.

#### **Wave Soldering Recommendations**





## **Soldering Process cont'd**

#### Wave Soldering Recommendations cont'd


1. The table indicates the maximum set-up temperature of the soldering process Figure 1

Dielectric		imum Pre emperatu	Maximum Peak Soldering Temperature		
Film Material	Capacitor Pitch ≤ 10 mm	Capacitor Pitch = 15 mm	Capacitor Pitch > 15 mm	Capacitor Pitch ≤ 15 mm	Capacitor Pitch > 15 mm
Polyester	130°C	130°C	130°C	270°C	270°C
Polypropylene	100°C	110°C	130°C	260°C	270°C
Paper	130°C	130°C	140°C	270°C	270°C
Polyphenylene Sulphide	150°C	150°C	160°C	270°C	270°C

2. The maximum temperature measured inside the capacitor:

Set the temperature so that inside the element the maximum temperature is below the limit:

Dielectric Film Material	Maximum temperature measured inside the element
Polyester	160°C
Polypropylene	110°C
Paper	160°C
Polyphenylene sulphide	160°C



Temperature monitored inside the capacitor.


#### **Selective Soldering Recommendations**

Selective dip soldering is a variation of reflow soldering. In this method, the printed circuit board with through-hole components to be soldered is preheated and transported over the solder bath as in normal flow soldering without touching the solder. When the board is over the bath, it is stopped and pre-designed solder pots are lifted from the bath with molten solder only at the places of the selected components, and pressed against the lower surface of the board to solder the components.


The temperature profile for selective soldering is similar to the double wave flow soldering outlined in this document, **however**, **instead of two baths**, **there is only one bath with a time from 3 to 10 seconds**. In selective soldering, the risk of overheating is greater than in double wave flow soldering, and great care must be taken so that the parts are not overheated.



#### Construction




### **Winding Scheme**







## Marking


#### Lead Spacing 10 mm






#### Lead Spacing 15 mm, 22.5 mm (small case sizes)







R. 46 MKP X2 SH
1 µF M 310Vac
40/110/56 B L CN QA21212







#### warking cont a

Lead Spacing 22.5 mm (large case sizes), 27.5 mm, 37.5 mm

#### FRONT





Manufacturing Date Code (IEC 60062)								
Y = Year, Z = Month								
Year	Code	Month	Code					
2000	M	January	1					
2001	N	February	2					
2002	Р	March	3					
2003	R	April	4					
2004	S	May	5					
2005	Т	June	6					
2006	U	July	7					
2007	V	August	8					
2008	W	September	9					
2009	X	October	0					
2010	A	November	N					
2011	В	December	D					
2012	С							
2013	D							
2014	Е							
2015	F							
2016	Н							
2017	J							
2018	K							
2019	L							
2020	M							



# **Packaging Quantities**

Lead Spacing (mm)	Thickness (mm)	Height (mm)	Length (mm)	Bulk Short Leads	Bulk Long Leads	Standard Reel ø 355 mm	Large Reel ø 500 mm	Ammo Taped
10	4	9	13	2000	1800	750	1500	1000
	5	11	13	1300	1500	600	1250	800
	6	12	13	1000	1200	500	1000	680
	-	44	40	2000	4000	000	4050	200
	5	11	18	2000	1000	600	1250	800
	6	12	18	1750	900	500	1000	680
	6	17.5	18	1000	700	500	1000	680
	7.5	13.5	18	1000	700	350	800	500
15	7.5	18.5	18	900	500	_	800	500
10	8.5	14.5	18	1000	500	300	700	440
	9	12.5	18	1000	520	270	650	410
	10	16	18	750	500	300	600	380
	11	19	18	450	350	_	500	340
	13	12	18	750	490	200	480	280
	0	45	00 5	005	500		700	404
	6	15	26.5	805	500	-	700	464
22.5	7	16	26.5	700	500	_	550	380
	10	18.5	26.5	396	300	_	350	235
	11	20	26.5	360	250		350	217
	13	22	26.5	300	200		300	_
	9	17	32	816	408	_	450	_
	11	20	32	560	336	_	350	_
	13	22	32	480	288	_	300	_
27.5	13	25	32	480	288		_	_
	14	28	32	352	176	_	_	_
	18	33	32	256	128			
	22	37	32	168	112			_
	22	31	32	100	112	<del>_</del>	_	_
37.5	11	22	41.5	420	252	-	_	_
	13	24	41.5	360	216	_	-	_
	16	28.5	41.5	216	108	_	_	_
	19	32	41.5	192	96	-	_	_
	20	40	41.5	126	84	_	_	_
	24	44	41.5	108	72	_	_	_
	30	45	41.5	90	60	_	_	_





# Lead Taping & Packaging (IEC 60286-2)


Figure 1 Lead Spacing 10 mm

Figure 2 Lead Spacing 15 mm

Figure 3 Lead Spacing 22.5 – 27.5 mm







# **Taping Specification**

	Symbol	Dimensions (mm)					
Description							
Description		10	15	22.5	27.5	Tol.	
		Fig. 1	Fig. 2	Fig. 3	Fig. 3		
Lead wire diameter	d	0.6	0.6-0.8	0.8	0.8	±0.05	
Taping lead space	Р	25.4	25.4	38.1	38.1	±1	
Feed hole lead space *	$P_0$	12.7	12.7	12.7	12.7	±0.2 **	
Centering of the lead wire	P <sub>1</sub>	7.7	5.2	7.8	5.3	±0.7	
Centering of the body	$P_2$	12.7	12.7	19.05	19.05	±1.3	
Lead spacing (pitch) ***	F	10	15	22.5	27.5	+0.6/-0.1	
Component alignment	Δh	0	0	0	0	±2	
Height of component from tape center	H <sub>0</sub> ****	18.5	18.5	18.5	18.5	±0.5	
Carrier tape width	W	18	18	18	18	+1 / -0.5	
Hold down tape width	W <sub>o</sub>	9	10	10	10	Minimum	
Hole position	W <sub>1</sub>	9	9	9	9	±0.5	
Hold down tape position	W <sub>2</sub>	3	3	3	3	Maximum	
Feed hole diameter	$D_{o}$	4	4	4	4	±0.2	
Tape thickness	t	0.7	0.7	0.7	0.7	±0.2	

<sup>\*</sup> Also available in 15 mm.

<sup>\*\*</sup> Max 1 mm on 20 lead spaces.

<sup>\*\*\*</sup> Pitches 15 mm and 10 mm taped to 7.5 mm (crimped leads) available upon request.


<sup>\*\*\*\*</sup>  $H_0$  = 16.5 mm available upon request.



# Lead Taping & Packaging (IEC 60286-2) cont'd


# **Ammo Specifications**


Dimensions (mm)					
Н	W	Т			
360	340	59			



# **Reel Specifications**

Deal Circ	Dimensions (mm)				
Reel Size	D	Н	W		
Standard	355	30	55 Maximum		
Large	500	25			







# **KEMET Corporation World Headquarters**

2835 KEMET Way Simpsonville, SC 29681

Mailing Address: P.O. Box 5928 Greenville, SC 29606

www.kemet.com Tel: 864-963-6300 Fax: 864-963-6521

**Corporate Offices** Fort Lauderdale, FL Tel: 954-766-2800

#### **North America**

#### Northeast

Wilmington, MA Tel: 978-658-1663

#### Southeast

Lake Mary, FL Tel: 407-855-8886

### Central

Novi, MI

Tel: 248-994-1030

Irving, TX

Tel: 972-915-6041

#### West

Milpitas, CA Tel: 408-433-9950

#### Mexico

Guadalajara, Jalisco Tel: 52-33-3123-2141

# **Europe**

Southern Europe Sasso Marconi, Italy Tel: 39-051-939111

Skopje, Macedonia Tel: 389-2-55-14-623

### **Central Europe** Landsberg, Germany Tel: 49-8191-3350800

Kamen, Germany Tel: 49-2307-438110

### **Northern Europe**

Wyboston, United Kingdom Tel: 44-1480-273082

Espoo, Finland Tel: 358-9-5406-5000

#### Asia

**Northeast Asia** Hong Kong Tel: 852-2305-1168

Shenzhen, China Tel: 86-755-2518-1306

Beijing, China Tel: 86-10-5877-1075

Shanghai, China Tel: 86-21-6447-0707

Seoul, South Korea Tel: 82-2-6294-0550

Taipei, Taiwan Tel: 886-2-27528585

#### **Southeast Asia**

Singapore

Tel: 65-6701-8033

Penang, Malaysia Tel: 60-4-6430200

Bangalore, India Tel: 91-806-53-76817

Note: KEMET reserves the right to modify minor details of internal and external construction at any time in the interest of product improvement. KEMET does not assume any responsibility for infringement that might result from the use of KEMET Capacitors in potential circuit designs. KEMET is a registered trademark of KEMET Electronics Corporation.



#### **Disclaimer**

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed.

All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.