



EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.




LED Thermoplastic Bulbs

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders like E27, E14, B22, B15,G24 and R7S
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands



Under these 4 modes you can choose the Brighter / Dimmer key on the controller to make the speed faster / slower.

RGB Bulb

6W VT-2022

7121 RGB + 2700K Warm White
7150 RGB + 4000K Day White
7151 RGB + 6400K White

BOX QTY.
100

EAN Code

3800157609975
3800157610711
3800157610728



A+



EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112mm
CRI:	>80		

A60 With Sensor Light

Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.



9W VT-2016

4459 - 2700K Warm White
4460 - 4500K Day White
4461 - 6000K White

EAN Code

3800157608237
3800157608244
3800157608251

BOX QTY.
100

A+



EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 122 mm
CRI:	>80		

DC24V

Ideal Use for marine, solar/wind systems, fishing, motor home/RV, buses, vehicles systems, etc.



9W VT-2059

7224 - 6400K White

EAN Code

3800157617543

BOX QTY.
100

A+



EQ. Watts:	55W	PF:	>0.5
Voltage/Frequency:	DC:24V	Beam Angle:	200°
Luminous Flux:	720lm-At 100% ON	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112 mm
CRI:	>80		

A60 3-Step Dimming | Smart Dimming Technology Without A Dimmer!

At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

3 STEP
DIMMING
**9W** VT-2011

4447 - 2700K Warm White
4448 - 4000K Day White
4449 - 6400K White

EAN Code

3800157607988
3800157607995
3800157608008

BOX QTY.
100

A+


EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112 mm
CRI:	>80		

NEW**HOW IT WORKS**

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

**A60 -Color Changing E27 Bulb****9W** VT-2119

EAN Code

7317 -3 IN 1 - Single Pack

3800157624497

BOX QTY.
100

A+


EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112 mm
CRI:	>80		

270
LUMENS

Red

30W
EQUIVALENTSKU Code EAN Code
7341 - RED 3800157626033570
LUMENS

Yellow

50W
EQUIVALENTSKU Code EAN Code
7342 - YELLOW 3800157626040310
LUMENS

Green

30W
EQUIVALENTSKU Code EAN Code
7343 - GREEN 3800157626057120
LUMENS

Blue

15W
EQUIVALENTSKU Code EAN Code
7344 - BLUE 3800157626064

NEW


A60 -Color E27 Bulb

9W VT-2000

BOX QTY.
100

Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Commercial Type:	A60	Base:	E27
LED Type:	SMD	Body Type:	Thermoplastic
CRI:	>80	Dimension:	60mm x 112 mm
PF:	>0.5		



3 PIECES
PACK**A55 - E27 Bulb****5W** VT-2055

7266 - 2700K Warm White

7267 - 4000K Day White

7268 - 6400K White

EAN Code

3800157622981

3800157622998

3800157623001

BOX QTY.
 30

EQ. Watts:	35W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	420lm	Base:	E27
Commercial Type:	A55	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	55mm x 106mm
CRI:	>80		

3 PIECES
PACK**A60 - B22 Bulb****9W** VT-2069

7246 - 2700K Warm White

EAN Code

3800157620192

BOX QTY.
 20

EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	B22
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112mm
CRI:	>80		

NEW

3 PIECES
PACK

A60 - E27 Bulb

9W VT-1900

A+

7240 - 2700K Warm White

7241 - 4000K Day White

7242 - 6400K White

EAN Code

3800157620130

3800157620147

3800157620154

BOX QTY.
20

EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112mm
CRI:	>80		

NEW

3 PIECES
PACK

A60 - E27 Bulb

11W VT-2113

A+

7352 - 2700K Warm White

7353 - 4000K Day White

7354 - 6400K White

EAN Code

3800157627412

3800157627429

3800157627436

BOX QTY.
120

EQ. Watts:	75W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1055lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 120mm
CRI:	>80		

NEW



A60 - E27 Bulb

9W VT-2099

7260 - 2700K Warm White

7261 - 4000K Day White

7262 - 6400K White

EAN Code

3800157622110

3800157622127

3800157622134

BOX QTY.
100

A+



EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112 mm
CRI:	>80		



A60 - E27 Bulb

10W VT-1853

4209 - 2700K Warm White

4226 - 4000K Day White

4227 - 6400K White

EAN Code

3800230623591

3800230626271

3800230626288

BOX QTY.
100

A+



EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112mm
CRI:	>80		

NEW



A60 - E27 Bulb

11W VT-2112

7350 - 2700K Warm White

7349 - 4000K Day White

7351 - 6400K White

EAN Code

3800157627399

3800157627320

3800157627405

BOX QTY.
100

A+



EQ. Watts:	75W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1055lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 120mm
CRI:	>80		

**A60 - E27 Bulb****12W** VT-1864

4228 - 2700K Warm White

4229 - 4000K Day White


4230 - 6400K White

EAN Code

3800230626295

3800230626301

3800230626318

BOX QTY.
100**A+**


EQ. Watts:	75W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1055lm	Base:	E27
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 120mm
CRI:	>80		

**Dimmable****Dimmable A60 - E27 Bulb****12W** VT-1864D

4275 - 2700K Warm White

EAN Code

3800230627872

BOX QTY.
100**A+**

EQ. Watts:	75W	Dimmable:	Yes
Voltage/Frequency:	AC: 220-240V,50Hz	PF:	>0.7
Luminous Flux:	1055lm	Beam Angle:	200°
Commercial Type:	A60	Base:	E27
LED Type:	SMD	Body Type:	Thermoplastic
CRI:	>80	Dimension:	60mm x 120mm

**A65 - E27 Bulb****15W** VT-2015

4453 - 2700K Warm White

4454 - 4000K Day White


4455 - 6400K White

EAN Code

3800157608091

3800157608107

3800157608114

BOX QTY.
100**A+**

EQ. Watts:	100W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1500lm	Base:	E27
Commercial Type:	A65	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	66.5mm x 134mm
CRI:	>80		

**A65 - E27 Bulb****17W** VT-2017

4456 - 2700K Warm White

4457 - 4000K Day White

4458 - 6400K White

EAN Code

3800157608121

3800157608138


3800157608145

BOX QTY.
100**A+**

EQ. Watts:	130W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1800lm	Base:	E27
Commercial Type:	A65	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	66.5 mm x 134mm
CRI:	>80		

**A60 - B22 Bulb****9W** VT-18537401 - 2700K Warm White
7403 - 6400K White


EAN Code

3800157629263
3800157629287BOX QTY.
200**A+**

EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	B22
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112mm
CRI:	>80		

**A60 - B22 Bulb****11W** VT-18647404 - 2700K Warm White
7405 - 4000K Day White
7406 - 6400K White

EAN Code

3800157629294
3800157629300
3800157629317BOX QTY.
100**A+**

EQ. Watts:	75W	PF:	>0.7
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1055lm	Base:	B22
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 120mm
CRI:	>80		

**A60 - B22 Bulb****10W** VT-1853

4442 - 2700K Warm White

4443 - 4000K Day White

4324 - 6400K White

EAN Code

3800157607681


3800157607698

3800157601061

BOX QTY.

200

A+



EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	B22
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 112mm
CRI:	>80		

**A60 - B22 Bulb****12W** VT-1864

7221 - 2700K Warm White

7222 - 4000K Day White

7223 - 6400K White

EAN Code

3800157617314


3800157617321

3800157617338

BOX QTY.

100

A+



EQ. Watts:	75W	PF:	>0.7
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1055lm	Base:	B22
Commercial Type:	A60	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	60mm x 120mm
CRI:	>80		

**A65 - B22 Bulb****15W** VT-2015

7229 - 2700K Warm White


EAN Code

3800157619554

BOX QTY.

100

A+




EQ. Watts:	100W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1500lm	Base:	B22
Commercial Type:	A65	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	65.5mm x 134mm
CRI:	>80		

**G45 - B22 Bulb****3W** VT-2053**7232 - 2700K Warm White**
7233 - 6400K White

EAN Code

3800157619776

3800157619783


BOX QTY.
200**A+**

EQ. Watts:	25W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	180°
Luminous Flux:	250lm	Base:	B22
Commercial Type:	G45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 75mm
CRI:	>80		

**G45 - B22 Bulb****6W** VT-1973**4441 - 2700K Warm White**

EAN Code

3800157607674

BOX QTY.
100**A+**

EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	B22
Commercial Type:	G45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 80mm
CRI:	>80		



Candle - B22 Bulb

3W VT-2073

7230 - 2700K Warm White

7231 - 6400K White


EAN Code

3800157619578

3800157619585

BOX QTY.
200

A+



EQ. Watts:	25W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	250lm	Base:	B22
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		

NEW



Candle - B15 Bulb

6W VT-1857

4217 - 2700k Warm White

7348 - 6400k White


EAN Code

3800157627290

3800157627306

BOX QTY.
200

A+



EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	B15
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 102mm
CRI:	>80		



Candle - B22 Bulb

6W VT-1965

4440 - 2700K Warm White

7346 - 6400k White


EAN Code

3800157607667

3800157627283

BOX QTY.
00

A+



EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	B22
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 102mm
CRI:	>80		

**Candle - E14 Bulb****3W** VT-2033

7196 - 2700K Warm White

7197 - 4000K Day White


7198 - 6400K White

EAN Code

3800157615808

3800157615815

3800157615822

BOX QTY.
200**A+**

EQ. Watts:	25W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	250lm	Base:	E14
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		

**Candle - E14 Bulb****4W** VT-1818

4216 - 2700K Warm White

4166 - 4000K Day White


4122 - 6400K White

EAN Code

3800230624796

3800230620675

3800230620668

BOX QTY.
200**A+**


EQ. Watts:	30W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	320lm	Base:	E14
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		

NEW**Candle - E14 Bulb****5.5W** VT-1855

42411 - 6400K White

EAN Code

3800157624411

BOX QTY.
00**A+**

EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		

NEW



Candle - E14 Bulb

5.5W VT-2076

7263 - 2700K Warm White
7264 - 4000K Day White
7265 - 6400K White


EAN Code

3800157622950
3800157622967
3800157622974

BOX QTY.

60

A+



EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		

NEW



Candle - E27 Bulb

5.5W VT-1821

43421 - 2700K Warm White
43431 - 4000K Day White
43441 - 6400K White


EAN Code

3800157624381
3800157624398
3800157624404

BOX QTY.

200

A+



EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E27
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		



Candle - E27 Bulb

6W VT-1821

4342 - 2700K Warm White
4343 - 4000K Day White
4344 - 6400K White


EAN Code

3800157601733
3800157601740
3800157601757

BOX QTY.

200

A+



EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E27
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		



Candle - E14 Bulb

6W VT-1855

4215 - 2700K Warm White

4258 - 4000K Day White

4241 - 6400K White

EAN Code


3800230624789

3800230627155

3800230626790

BOX QTY.
200

A+



EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		



Dimmable Candle - E14 Bulb

6W VT-1854D


4213 - 2700K Warm White

EAN Code

3800230624765

BOX QTY.
200

A+



EQ. Watts:	40W	Dimmable:	Yes
Voltage/Frequency:	AC: 220-240V, 50Hz	PF:	>0.5
Luminous Flux:	470lm	Beam Angle:	200°
Commercial Type:	Candle	Base:	E14
LED Type:	SMD	Body Type:	Thermoplastic
CRI:	>80	Dimension:	37mm x 100mm

NEW



Candle - E14 Bulb

7W VT-2097

7318 - 3000K Warm White

7319 - 4000K Day White

7320 - 6400K White

EAN Code


3800157624503

3800157624510

3800157624527

BOX QTY.
200

A+



EQ. Watts:	55W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	750lm	Base:	E14
Commercial Type:	Candle	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 100mm
CRI:	>80		

**Candle Flame - E14 Bulb****4W** VT-1818 TP

EAN Code

BOX QTY.
200**4164 - 2700K Warm White**


3800230620743

4156 - 4000K Day White

3800230620736

4354 - 6400K White

3800157602457

A+

EQ. Watts:	30W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	320lm	Base:	E14
Commercial Type:	Candle Flame	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 124mm
CRI:	>80		

**Candle Flame -E14 Bulb****6W** VT-1855TP

EAN Code

BOX QTY.
200**4351 - 2700K Warm White**


3800157602426

4352 - 4000K Day White

3800157602433

4353 - 6400K White

3800157602440

A+

EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	Candle Flame	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 124mm
CRI:	>80		

**ST26-E14****2W** VT-2032

7237 - 2700K Warm White

7238 - 4000K Day White


7239 - 6400K White

EAN Code

3800157620109

3800157620116

3800157620123

BOX QTY.
400**A+**

EQ. Watts:	20W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	150°
Luminous Flux:	180lm	Base:	E14
Commercial Type:	ST26	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	25mm x 59mm
CRI:	>80		

**T37 - E14 Bulb****9W** VT-2029

7173 - 2700K Warm White

7174 - 4000K Day White


7175 - 6400K White

EAN Code

3800157615495

3800157615501

3800157615518

BOX QTY.
200**A+**

EQ. Watts:	50W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	230°
Luminous Flux:	750lm	Base:	E14
Commercial Type:	T37	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 115mm
CRI:	>80		

**T37 - 27 Bulb****9W** VT-2089

7256 - 2700K Warm White

7257 - 4000K Day White


7258 - 6400K White

EAN Code

3800157621915

3800157621922

3800157621939

BOX QTY.
200**A+**

EQ. Watts:	50W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	230°
Luminous Flux:	750lm	Base:	E27
Commercial Type:	T37	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	37mm x 115mm
CRI:	>80		

**G45 - E27 Bulb****3W** VT-2053

7202 - 2700K Warm White
7203 - 4000K Day White
7204 - 6400K White

EAN Code

3800157615860
3800157615877
3800157615884

BOX QTY.
200**A+**


EQ. Watts:	25W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	250lm	Base:	E27
Commercial Type:	G45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 76mm
CRI:	>80		

**G45 - E27 Bulb****4W** VT-1830

4160 - 2700K Warm White
4162 - 4000K Day White
4207 - 6400K White

EAN Code

3800230621047
3800230621054
3800230624611

BOX QTY.
200**A+**

EQ. Watts:	30W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	320lm	Base:	E27
Commercial Type:	G45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 82mm
CRI:	>80		

NEW

**G45 - E27 Bulb****5.5W** VT-2176**7362 - 2700K Warm White****7363 - 4000K Day White****7364 - 6400K White**

EAN Code

3800230627018

3800230627025

3800230627032

BOX QTY.
180**A+**

EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	E27
Commercial Type:	G45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 82mm
CRI:	>80		

**G45 - E27 Bulb****6W** VT-1879**4247 - 2700K Warm White****4248 - 4000K Day White****4249 - 6400K White**

EAN Code

3800230627018

3800230627025

3800230627032

BOX QTY.
200**A+**

EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	E27
Commercial Type:	G45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 82mm
CRI:	>80		

**P45 - E14 Bulb****3W** VT-2043


7199 - 2700K Warm White
7200 - 4000K Day White
7201 - 6400K White

EAN Code

3800157615839
3800157615846
3800157615853

BOX QTY.
200

A+



EQ. Watts:	25W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	250lm	Base:	E14
Commercial Type:	P45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 81mm
CRI:	>80		

**P45 - E14 Bulb****4W** VT-1819


4123 - 2700K Warm White
4174 - 4000K Day White
4124 - 6400K White

EAN Code

3800230620996
3800230621009
3800230621016

BOX QTY.
200

A+



EQ. Watts:	30W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	320lm	Base:	E14
Commercial Type:	P45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 81mm
CRI:	>80		

NEW**P45 - E14 Bulb****5.5W** VT-1880


42501 - 2700K Warm White
42511 - 4000K Day White
42521 - 6400K White

EAN Code

3800157624367
3800157626408
3800157624374

BOX QTY.
200

A+



EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	P45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 81mm
CRI:	>80		


NEW

**P45 - E14 Bulb****5.5W** VT-2156

7357 - 2700K Warm White
 7358 - 4000K Day White
 7359 - 6400K White

EAN Code

3800157628150
 3800157628167
 3800157628174

BOX QTY.
180**A+**


EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	P45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 81mm
CRI:	>80		

**P45 - E14 Bulb****6W** VT-1880

4250 - 2700K Warm White
 4251 - 4000K Day White
 4252 - 6400K White

EAN Code

3800230627049
 3800230627056
 3800230627063

BOX QTY.
200**A+**

EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	P45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 81mm
CRI:	>80		


NEW

**P45 - E14 Bulb****7W** VT-2098

7321 - 2700K Warm White
 7322 - 4000K Day White
 7323 - 6400K White

EAN Code

3800157624534
 3800157624541
 3800157624558

BOX QTY.
200**A+**

EQ. Watts:	55W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	180°
Luminous Flux:	750lm	Base:	E14
Commercial Type:	P45	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	45mm x 81mm
CRI:	>80		

**R7S Bulb****7W** VT-1917

7123 - 3000K Warm White

7124 - 4000K Day White


7125 - 6400K White

EAN Code

3800157610032

3800157610049

3800157610056

BOX QTY.
100**A+**

EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	360°
Luminous Flux:	470lm	Base:	R7S
Commercial Type:	R7S	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	25mm x 118mm
CRI:	>80		

**R7S Bulb****10W** VT-1990

4369 - 3000K Warm White

4389 - 4000K Day White


4390 - 6400K White

EAN Code

3800157602952

3800157604130

3800157604147

BOX QTY.
100**A+**

EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	360°
Luminous Flux:	1000lm	Base:	R7S
Commercial Type:	R7S	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	25mm x 118mm
CRI:	>80		

**R39 - E14 Bulb****3W** VT-1861

4219 - 3000K Warm White

4220 - 4000K Day White


4242 - 6400K White

EAN Code

3800230625472

3800230625489

3800230626806

BOX QTY.
200**A+**

EQ. Watts:	25W	PF:	>0.4
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	210lm	Base:	E14
Commercial Type:	R39	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	39mm x 67mm
CRI:	>80		

**R50 - E14 Bulb****6W** VT-1876

4243 - 3000K Warm White

4138 - 4000K Day White


4246 - 6400K White

EAN Code

3800230626813

3800230620897

3800230626967

BOX QTY.
100**A+**

EQ. Watts:	40W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	R50	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	50mm x 86mm
CRI:	>80		

**R63 - E27 Bulb****8W** VT-1862

4221 - 3000K Warm White

4140 - 4000K Day White


4244 - 6400K White

EAN Code

3800230625496

3800230620903

3800230626820

BOX QTY.
200**A+**

EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	500lm	Base:	E27
Commercial Type:	R63	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	63mm x 100mm
CRI:	>80		

**R80 - E27 Bulb****10W** VT-1894

4339 - 3000K Warm White

4340 - 4000K Day White


4341 - 6400K White

EAN Code

3800157601702

3800157601719

3800157601726

BOX QTY.
100**A+**


EQ. Watts:	75W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	800lm	Base:	E27
Commercial Type:	R80	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	80mm x 114mm
CRI:	>80		

**PL - E27 Bulb****6W** VT-2046

EAN Code

7211 - 3000K Warm White

3800157617031

BOX QTY.
 **50****A⁺**

EQ. Watts:	50W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	480lm	Base:	E27
Commercial Type:	PL	Body Type:	Plastic + Aluminum
LED Type:	SMD	Dimension:	38mm x 145mm
CRI:	>80		

**PL - E27 Bulb****10W** VT-2050

EAN Code

7215 - 3000K Warm White

3800157617079

BOX QTY.
 **50****A⁺**

EQ. Watts:	85W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	820lm	Base:	E27
Commercial Type:	PL	Body Type:	Plastic + Aluminum
LED Type:	SMD	Dimension:	38mm x 157mm
CRI:	>80		

**PL - G24 Bulb****6W** VT-2046

7210 - 3000K Warm White

7209 - 4000K Day White

7208 - 6400K White

EAN Code

3800157617024


3800157617017

3800157617000

BOX QTY.

50

A+



EQ. Watts:	50W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	480lm	Base:	G24
Commercial Type:	PL	Body Type:	Plastic + Aluminum
LED Type:	SMD	Dimension:	38mm x 145mm
CRI:	>80		

**PL - G24 Bulb****10W** VT-2050

7214 - 3000K Warm White

7213 - 4000K Day White

7212 - 6400K White

EAN Code

3800157617062


3800157617055

3800157617048

BOX QTY.

50

A+



EQ. Watts:	85W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	820lm	Base:	G24
Commercial Type:	PL	Body Type:	Plastic + Aluminum
LED Type:	SMD	Dimension:	38mm x 157mm
CRI:	>80		

**G95 - E27 Globe Bulb****10W** VT-1893

4276 - 3000K Warm White

4277 - 4000K Day White


4278 - 6400K White

EAN Code

3800230627889

3800230627896

3800230627902

BOX QTY.
 **12** **A+**

EQ. Watts:	60W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	810lm	Base:	E27
Commercial Type:	G95	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	95mm x 140mm
CRI:	>80		

**G120 - E27 Globe Bulb****13W** VT-1883

4253 - 3000K Warm White

4273 - 4000K Day White


4274 - 6400K White

EAN Code

3800230627094

3800230627858

3800230627865

BOX QTY.
 **12** **A+**


EQ. Watts:	75W	PF:	>0.7
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	1055lm	Base:	E27
Commercial Type:	G120	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	120mm x 164mm
CRI:	>80		

**Dimmable G120 - E27 Globe Bulb****13W** VT-1884D

EAN Code

4254 - 2700K Warm White

3800230627100

BOX QTY.
12**A+**

EQ. Watts:	75W	Dimmable:	Yes
Voltage/Frequency:	AC: 220-240V,50Hz	PF:	>0.7
Luminous Flux:	1055lm	Beam Angle:	200°
Commercial Type:	G120	Base:	E27
LED Type:	SMD	Body Type:	Thermoplastic
CRI:	>80	Dimension:	120mm x 164mm

**G120 - E27 Globe Bulb****18W** VT-1899

EAN Code

4433 - 2700K Warm White


3800157606806

4434 - 4000K Day White

3800157606813


4435 - 6400K White

3800157606820

BOX QTY.
12**A+**

EQ. Watts:	130W	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	1800lm	Base:	E27
Commercial Type:	G120	Body Type:	Thermoplastic
LED Type:	SMD	Dimension:	120mm x 164mm
CRI:	>80		

NEW

BOX QTY.
60

T80 - E27 LED Big Ripple Plastic Bulb

18W VT-2121

EAN Code

7272 - 3000K Warm White

3800157623629

7273 - 4000K Day White

3800157623636


7274 - 6400K White

3800157623643

A

EQ. Watts:	100W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	1400lm	Base:	E27
Commercial Type:	T80	Body Type:	Plastic
LED Type:	SMD	Dimension:	80mm x 150mm
CRI:	>80		

NEW

BOX QTY.
40

T100 - E27 LED Big Ripple Plastic Bulb

24W VT-2125

EAN Code

7275 - 3000K Warm White

3800157623650

7276 - 4000K Day White

3800157623667

7277 - 6400K White

3800157623674

A+

EQ. Watts:	150W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	2080lm	Base:	E27
Commercial Type:	T100	Body Type:	Plastic
LED Type:	SMD	Dimension:	100mm x 174mm
CRI:	>80		

NEW

BOX QTY.
20

T120 - E27 LED Big Ripple Plastic Bulb

36W VT-2137

EAN Code

7278 - 4000K Day White

3800157623681

7279 - 6400K White

3800157623698



EQ. Watts:	200W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	2680lm	Base:	E27
Commercial Type:	T120	Body Type:	Plastic
LED Type:	SMD	Dimension:	118mm x 204mm
CRI:	>80		

NEW

BOX QTY.
16

T140 - E27 LED Big Ripple Plastic Bulb

48W VT-2148

EAN Code

7280 - 4000K Day White

3800157623704

7281 - 6400K White

3800157623711



EQ. Watts:	265W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	3570lm	Base:	E27
Commercial Type:	T140	Body Type:	Plastic
LED Type:	SMD	Dimension:	138mm x 230mm
CRI:	>80		

**ED-90 - E27 Bulb****40W** VT-1940

7132 - 3000K Warm White

7133 - 4000K Day White

7134 - 6500K White

EAN Code

3800157610285

3800157610292

3800157610308

BOX QTY.
30**A+**

EQ. Watts:	250W	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	265°
Luminous Flux:	3500lm	Base:	E27
Commercial Type:	ED-90	Body Type:	Aluminum+PC
LED Type:	SMD	Dimension:	90mm x 220mm
CRI:	>80		

NEW**T160 - E27
LED Big Ripple Plastic Bulb****60W** VT-2060


7313 - 4000K Day White

7314 - 6400K White

EAN Code

3800157624459

3800157624466

BOX QTY.
00**A**

EQ. Watts:	310W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	200°
Luminous Flux:	4200lm	Base:	E27
Commercial Type:	T160	Body Type:	Plastic
LED Type:	SMD	Dimension:	160mm x 282mm
CRI:	>80		

UFO Ceiling Lamp- E27


15W VT-2116

EAN Code

BOX QTY.

20

A+



7158 - 3000K Warm White

3800157612494

7159 - 4000K Day White

3800157612500

7160 - 6400K White

3800157612517

EQ. Watts:	90W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	1350lm	Base:	E27
Commercial Type:	F150	Body Type:	Plastic
LED Type:	SMD	Dimension:	ø150mm x 80mm
CRI:	>80		

UFO Ceiling Lamp- E27


24W VT-2124

EAN Code

BOX QTY.

20

A+



7161 - 3000K Warm White

3800157612524

7162 - 4000K Day White

3800157612531

7163 - 6400K White

3800157612548

EQ. Watts:	160W	PF:	>0.5
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	2610lm	Base:	E27
Commercial Type:	F200	Body Type:	Plastic
LED Type:	SMD	Dimension:	ø200mm x 80mm
CRI:	>80		

UFO Ceiling Lamp- E27


36W VT-2136

EAN Code

BOX QTY.

20

A+



7164 - 3000K Warm White

3800157612555

7165 - 4000K Day White

3800157612562

7166 - 6400K White

3800157612579

EQ. Watts:	190W	PF:	>0.9
Voltage/Frequency:	AC: 220-240V, 50Hz	Beam Angle:	120°
Luminous Flux:	3240lm	Base:	E27
Commercial Type:	F250	Body Type:	Plastic
LED Type:	SMD2835	Dimension:	ø250mm x 80mm
CRI:	>80		