



EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.

LED Strip Specifications

DESCRIPTION: Water proof soft LED Strip

MODEL NO: LED-WFLS-12V-1W8-3528T-60T-Pure White


Features:

- 1. Standard Length: 5M/Roll
- 2. LED Quantity: 300pcs/Roll
- 3. Working voltage: DC12V
- 4. Adopt high brightness SMD 3528 LED

1. 实物图 **Picture of real product**



2. 平面尺寸图 **Dimension (mm)**



3. **LED Features**

Item	Parameter
LED Compound mode	3Cascade 20 Parallel
Minimum truncation size	50mm
Lamp bead (Center)spacing	16.6mm
LED Type	3528
LED Current	20MA
LED Wavelengthλd (nm) Or Tc (k)	6000-7500
LED COLOR	Pure white
LED Lumen	4LM


4. Technical Request

NO.	Item	Units	Parameter range
1	working environment	℃	-25~45
2	storage condition	℃	-20~50
3	work frequency	Hz	
4	limited voltage	V	DC12±0.5V
5	Maximum current	A	2A±10%
6	Maximum output power	W	24W±10%
7	Grade of waterproof		IP65
8	Luminous Flux	LM	1200LM ± 10%

5. use manual

* Please read the specification first to make sure the using condition is fit.

*Please shut off the switch before connect the product, then turn on.



How to cut!
如何切割!

unit: mm
(单位: 毫米)