

EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at <u>www.hestore.hu</u>.







HiFi USB Audio Amplifier

This UA0210 allows you to bypass your computer's soundcard or headphone output and send digital audio signal through the USB interface. With this perfect digital interface between your computer and the music system, the sound quality is pushed to another higher level in your overall music environment. And its built-in hardware equalizer can let you enhance the enjoyment of listening to music.

Features:

- High Quality Headphone Amplifier
- 96KHz/24bit Hi-Fi USB Audio
- Hardware EQ on bass and treble boost
- Stereo Analog RCA Line Output
- Coaxial & Toslink S/PDIF Digital output
- 6.3mm & 3.5mm headphone outputs
- Supports AC3, Dolby and DTS pass-through
- Integrated de-pop function for suppress pop noise during PC power-up and shutdown
- Supports Windows XP 32/64-bit/Vista/7/8/8.1 and MAC OS

Specification:

Interface	USB interface(1.1/2.0 compatible)
Analog Output	RCA, Stereo Headphone, Stereo Mini
Analog Input	3.5mm Stereo Line-in x1
SNR	Around 91dB(A-weighting)
Max. Headphone Output power (Single Channel)	100mW @ 32ohm, 1.6 Vrms, 0.02% THD+N
	62mW @ 100ohm, 2.5Vrms, 0.015% THD+N



RoHS

(F






LogiLink.com

HiFi USB Audio Amplifier

Headphone Drive Ability	16 – 150ohm
Power	USB Bus-Powered
Cable length	Mini USB cable : 0.9m
	RCA to RCA cable : 1.4m
The type of Connector	USB & RCA
Product Dimension	89 x 103 x 28mm
Products Weight	200g



RoHS CE



* The specifications and pictures are subject to change without notice. *All trade names referenced are the registered namework of their respective owners.





www.LogiLink.com

LogiLink®

HiFi USB Audio Amplifier

System Requirements:

- Windows XP 32/64-bit/Vista/7/8/8.1 and MAC OS
- PC with one free USB port (USB 2.0 High Speed is preferred)

Package Contents:

- HiFi USB Audio Amplifier x 1
- Mini USB cable x 1
- RCA to RCA cable x 1
- CD driver x 1
- User Manual x 1

Packaging Information:

- Packing Dimension: 133 x 196 x 57mm
- Packing Weight: 0.45kg
- Carton Dimension: 730 x 400 x 300mm
- Carton Q'ty: 40pcs
- Carton Weight: 18.7kg





* The specifications and pictures are subject to change without notice. *All trade names referenced are the registered namework of their respective owners.

- 3 -

RoHS compliant

CE