




EN: This Datasheet/Document is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.
















		A		B		C		D		E		F		G		H									
FERRITE MATERIAL: K5B(RMS-303)								FERRITE MATERIAL: K5B(RMS-303)								REV.				MODIFICATION.		DATE		DRN	
PARTNUMBER		A	B	C	IMPEDANCE (Ω)		STANDARD PACK	PARTNUMBER		B	A	C	IMPEDANCE (Ω)		STANDARD PACK										
					25MHz	100MHz							25MHz	100MHz											
RT-160-100-80		16.00	8.00	10.00	29	55	200	RT-280-160-75		28.00	7.50	16.00	33	59	100										
RT-160-100-100			10.00		43	85	150	RT-280-160-130			13.00		55	100											
RT-160-120-80			8.00		12.00	26	48	200	RT-280-160-170		17.00		71	120											
RT-160-120-150			15.00			33	58	40	RT-280-160-200		20.00		85	155											
RT-165-82-130		16.50	13.00	8.20	70	125	120	RT-290-190-75		29.00	7.50	19.00	26	70	100										
RT-165-82-160			16.00		83	140		50	RT-290-190-77		7.70		33	76											
RT-165-92-75			7.50		9.2	35		70	200		RT-290-190-138		13.80	46	94										
RT-175-80-100		17.50	10.00	8.00	62	94	98	RT-310-190-70		31.00	7.00	19.00	35	77	40										
RT-175-95-50			5.00		10.00	22		44	RT-310-190-80		8.00		30	55											
RT-175-95-64			6.00		9.50	31		53	RT-310-190-160		16.00		68	115											
RT-175-95-70			7.00			30		54	RT-310-190-222		22.00		88	146											
RT-175-95-110		17.50	11.00	9.50	55	96	100	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-175-95-127			13.00		59	95		24	RT-360-250-127		13.00		39	84											
RT-175-95-135			14.00		63	115		18	RT-406-274-150		40.60		15.00	27.40											
RT-175-95-150			15.00		70	113		112	RT-594-348-128		59.40		12.80	34.80											
RT-175-107-80		18.00	8.00	10.70	33	60	200	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-180-100-60			6.00		31	55		24	RT-360-250-127		13.00		39	84											
RT-180-100-100			10.00		47	77		18	RT-406-274-150		40.60		15.00	27.40											
RT-180-100-150			15.00		54	102		112	RT-594-348-128		59.40		12.80	34.80											
RT-187-102-143		18.67	14.27	10.16	70	119	100	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-187-102-170			17.02		75	125		18	RT-406-274-150		40.60		15.00	27.40											
RT-190-100-100			10.00		54	102		112	RT-594-348-128		59.40		12.80	34.80											
RT-190-120-80		19.00	8.00	12.00	32	72	200	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-190-120-100			10.00		37	78		100	RT-406-274-150		40.60		15.00	27.40											
RT-200-100-50			5.00		28	68		140	RT-594-348-128		59.40		12.80	34.80											
RT-200-100-80		20.00	8.00	10.00	38	62	100	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-200-100-100			10.00		50	82		18	RT-406-274-150		40.60		15.00	27.40											
RT-200-120-100			10.00		40	68		84	RT-594-348-128		59.40		12.80	34.80											
RT-205-102-100		20.50	10.20	53	86	80	RT-360-250-70		36.00	7.00	25.00	23	63	36											
RT-212-127-60		21.20	6.00	12.70	27	52	200	RT-406-274-150		40.60		15.00	27.40												
RT-220-135-64		22.00	6.35	13.50	28	53	100	RT-594-348-128		59.40		12.80	34.80												
RT-220-135-80			8.00		37	78	84	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-220-140-65			7.00		28	68	100	RT-406-274-150			40.60		15.00	27.40											
RT-220-140-80			8.00		33	73	84	RT-594-348-128			59.40		12.80	34.80											
RT-220-140-100		22.00	10.00	14.00	42	90	84	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-220-140-120			12.00		40	85		18	RT-406-274-150		40.60		15.00	27.40											
RT-221-137-127		22.10	12.70	13.72	48	83	100	RT-594-348-128			59.40		12.80	34.80											
RT-225-138-64		22.50	6.40	13.80	25	47	200	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-225-138-127			12.70		46	71	50	RT-406-274-150			40.60		15.00	27.40											
RT-230-135-64		23.00	6.35	13.50	28	53	200	RT-594-348-128			59.40		12.80	34.80											
RT-236-114-140		23.60	14.00	11.40	80	133	60	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-236-150-60			6.00		26	70	72	RT-406-274-150			40.60		15.00	27.40											
RT-236-150-114			11.00		43	85	100	RT-594-348-128			59.40		12.80	34.80											
RT-250-150-80		25.00	8.00	15.00	38	79	50	RT-360-250-70		36.00	7.00	25.00	23	63	36										
RT-250-150-100			10.00		44	87		18	RT-406-274-150		40.60		15.00	27.40											
RT-250-150-120			12.00		53	97		60	RT-594-348-128		59.40		12.80	34.80											
RT-250-150-150			15.00		61	105		100	RT-360-250-70		36.00	7.00	25.00	23	63	36									
RT-254-127-64		25.40	6.35	12.70	39	80	40	RT-406-274-150		40.60		15.00		27.40											
RT-259-128-213		25.91	21.30	12.80	106	174	40	RT-594-348-128		59.40		12.80		34.80											
RT-260-130-127		26.00	12.70	13.00	74	125	50	RT-360-250-70		36.00	7.00	25.00	23	63	36										



REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010196	24/04/08	SF
03	CO2010845	20/10/09	OW
04	CO2010989	01/10/10	SF
05	CO2011049	26/01/11	SF
06	CO2011144	17/05/11	SF
07	CO2011253	16/04/12	SF
08	CO2011277	31/07/12	SF

NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co., Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.			
RICHCO, INC. WWW.RICHCO-INC.COM			
DESCRIPTION: RT Toroid Cores, Impedance Graphs.			
DRG No: 06-073			SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
	SCALE NTS		SHEET No. 3 OF 12



REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010196	24/04/08	SF
03	CO2010845	20/10/09	OW
04	CO2010989	01/10/10	SF
05	CO2011049	26/01/11	SF
06	CO2011144	17/05/11	SF
07	CO2011253	16/04/12	SF
08	CO2011277	31/07/12	SF


NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO
RICHCO INTERNATIONAL Co., Ltd. AND MAY NOT BE DISCLOSED OR
REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT

RIC HCO, INC.
WWW.RICHCO-INC.COM


DESCRIPTION:	RT Toroid Cores, Impedance Graphs.
--------------	------------------------------------


DRG No: 06-073					SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06	SCALE NTS	SHEET No. 4 OF 12



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co., Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.				
RICHCO, INC. WWW.RICHCO-INC.COM				
DESCRIPTION: RT Toroid Cores, Impedance Graphs.				
DRG No: 06-073				SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06	SCALE NTS
			SHEET No. 5 OF 12	






REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010196	24/04/08	SF
03	CO2010845	20/10/09	OW
04	CO2010989	01/10/10	SF
05	CO2011049	26/01/11	SF
06	CO2011144	17/05/11	SF
07	CO2011253	16/04/12	SF
08	CO2011277	31/07/12	SF

NOTES.
1) Impedance figures are typical values.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co., Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.				
RICHCO, INC. WWW.RICHCO-INC.COM				
DESCRIPTION: RT Toroid Cores, Impedance Graphs.				
DRG No: 06-073				SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06	SCALE NTS SHEET No. 7 OF 12




REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010196	24/04/08	SF
03	CO2010845	20/10/09	OW
04	CO2010989	01/10/10	SF
05	CO2011049	26/01/11	SF
06	CO2011144	17/05/11	SF
07	CO2011253	16/04/12	SF
08	CO2011277	31/07/12	SF

NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co., Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.					
RICHCO, INC. WWW.RICHCO-INC.COM					
DESCRIPTION: RT Toroid Cores, Impedance Graphs.					
DRG No: 06-073					SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06	SCALE NTS	SHEET No. 8 OF 12






G		H	
REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010196	24/04/08	SF
03	CO2010845	20/10/09	OW
04	CO2010989	01/10/10	SF
05	CO2011049	26/01/11	SF
06	CO2011144	17/05/11	SF
07	CO2011253	16/04/12	SF
08	CO2011277	31/07/12	SF

NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co., Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.			
RICHCO, INC. WWW.RICHCO-INC.COM			
DESCRIPTION: RT Toroid Cores, Impedance Graphs.			
DRG No: 06-073		SHEET SIZE A3	
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE NTS		SHEET No. 10 OF 12	



REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010196	24/04/08	SF
03	CO2010845	20/10/09	OW
04	CO2010989	01/10/10	SF
05	CO2011049	26/01/11	SF
06	CO2011144	17/05/11	SF
07	CO2011253	16/04/12	SF
08	CO2011277	31/07/12	SF

NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co., Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RT Toroid Cores, Impedance Graphs.

DRG No: 06-073		SHEET SIZE A3	
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE NTS		SHEET No. 11 OF 12	

