



EN: This Datasheet/Document is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.



VGA Extension Cable


VGA Male to Female Extension Cable

Connection beyond Limitation



1080P HD

Supporting 1920*1080 pixels.
No ghosting or rippling and clear still after extention.



A Solution to Insufficiency in Original Cable

For the extension of transmission distance between tower and monitor. No more worries about insufficiency in length.




Free The Limitation in Projection

Also for the extension between laptop and projector by which you work efficiently.




Dual Modes



Mirror mode

Synchronic display of one view on two screens.



Extension mode

Individual views displayed on each screen for diversified needs.



1080P HD



Free extension



Enhanced dual
ferrite cores

Stable Connection

Accurate interface size for stable connection and transmission.



Applicable to Multiple Devices

Applicable to distance extension between VGA devices




Dual Ferrite Cores for Better Anti-interference

Dual ferrite cores against EMI and RFI,
eliminating ripples.



Pure. Shielded. That Makes A Better Conductor.

Pure copper conductor and multiple shields for resistance to interference and distortion. Just enjoy the HD view.



Gold-plated Interface

Resistance to oxidation and rustiness.
Also durable in swapping.




Interface Display

VGA male to female extension cable




Female - Standard VGA



Male - Standard VGA

How to Connect



Note: this product support bi-direction conversion
Please check your device interface in advance or get support from our service team.

Product Parameters

Brand: Vention	Shell : PVC
Name: VGA Extention Cable	Shielding: Aluminun Foil + Gournd Wire
Model: DAG	+ Ferrite Core
Color: Black	Jacket: PVC
Interface: VGA Male	AWG: 1-5m: 30AWG
Version: VGA Male (3+6)	10m: 28AWG
Interface Technics: Gold-plated	OD: 7.5mm
Resolution: 1080P	Length: 1-10m
Transmission Direction: Male to Female	Warranty: 1-year
Conductor: Pure Copper	Package: PE Bag/Kraft Box



Length	Art.No.	EAN Code
1m	DAGBF	6922794743915
1.5m	DAGBG	6922794743922
2m	DAGBH	6922794743939
3m	DAGBI	6922794743946
5m	DAGBJ	6922794743953
10m	DAGBL	6922794743960



Package Contents

VGA Extension Cable x 1

Packaging Information

Packing Dimension	mm
Packing Weight	kg
Carton Dimension	48*29*30mm
Carton Qty	90pcs(1m) 50pcs (1.5m) 50pcs(2m) 50pcs(3m) 35pcs(5m) 12pcs(10m)
Carton Weight	12kg (1m)
Package	PE bag/Kraft box

www.ventioncable.com