







EN: This Datasheet/Document is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.




NO.	ECN NO.	DESCRIPTION	REV.	DRAW	DATE
1.					
2.					
3.					




NOTES:

- MATERIAL:**
HOUSING: LCP UL94V-0, BLACK
CONTACT: C5210R-EH, t=0.20mm
- DURABILITY TEST:** 100 CYCLES MIN.
- SPECIFICATION:**
DIELECTRIC STRENGTH: AC 300V/MINUTE
INSULATOR RESISTANCE: 500 Mohm MIN
CONTACT RESISTANCE: 40 mohm Max.
OPERATING TEMPERATURE: -40° ~ +85°

未注公差 容许公差 TOLERANCE				深圳市华灿天禄电子有限公司			
.X	±0.25	X.°	±1°			品名 TITLE	SFP+ 20PIN CONN
.XX	±0.10	.X°	±0.5°			料号 ITEM NO.	
.XXX	±0.10	.XX°	±0.03°			图号 DWG NO.	HC-SFP-20P
比例 SCALE	4:1	角法 PROJ.		设计 DESIGN			
张数 SHEET	1/2	纸张 SIZE	A4	校对 CHECKED			
单位 UNIT	mm	版本 REV.	A4	核准 APPROVE			



RECOMMENDED LAYOUT
MATING PCB SIDE



NO.	ECN NO.	DESCRIPTION	REV.	DRAW	DATE
1.					
2.					
3.					

未注公差 容许公差 TOLERANCE .X .° ±1° .XX ±0.25 .X° ±0.5° .XXX ±0.10 .XX° ±0.03°				深圳市华灿天禄电子有限公司			
比例 SCALE	4:1	角法 PROJ.		设计 DESIGN		品名 TITLE	SFP+ 20PIN CONN
张数 SHEET	2/2	纸张 SIZE	A4	校对 CHECKED		料号 ITEM NO.	
单位 UNIT	mm	版本 REV.	A4	核准 APPROVE		图号 DWG NO.	HC-SFP-20P