





EN: This Datasheet/Document is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.



PACKAGING SPECIFICATION:

1. MATERIAL

1.1 Embossed Carrier Tape: PS Black

1.2 Top Cover Tape: PET

20-80g(Peel Speed 300mm/Minute)

1.3 Taping Reel: Plastic

2. PACKING

2.1 Quantity:

1000Piece/Reel

2Reel/Inner Carton

10000Piece/Outer Carton




2.2 Net Weight: 10Kg

2.3 Gross Weight: 11Kg/Carton

15		
14		
13		
12		
11		
10	PROTECTIVE TAPE	
9	LABEL	
8	LABEL	
7	DRYER	
6	PE BAG	L850*W750mm
5	OUTER CARTON	
4	INNER CARTON	
3	REEL	ø 330*100mm,W=24mm
2	COVER TAPE	W=21.5mm,20.8M
1	CARRIER TAPE	W=24mm,T=0.30mm,20.8M/REEL
NO.	PACKING NAME	DESCRIPTION

[illegible]

EMBOSED CARRIER TAPE DIMENSIONS



PACKAGING SPECIFICATION:

- 1.Part Conforms to EIA-481-C Standards.
- 2.All dimensions in millimeters.
- 3.10 sprocket hole pitch cumulative
- 4.Carrier camber is within 1mm in 100mm.
- 5.Ao and Bo Measured on a plane 0.3mm above the bottom of the pocket.
- 6.Ko measured from a plane on the inside bottom of the pocket to top surface of the carrier.
- 7.Martrial: PS Black Polystyrene.
- 8.Component load per 13" reel:1000pcs/21.0M

W	24.00 ^{+0.30} _{-0.30}	T	0.30±0.05	P2	2.00±0.10	Ao	14.45±0.10
E	1.75±0.10	P	20.00±0.10	Do	ø1.50 ^{+0.10} ₋₀	Bo	15.60±0.10
F	11.50±0.10	PO	4.00±0.10	D1	ø1.50MIN	Ko	2.70±0.10

						UNLESS OTHERWISE SPECIFIED TOLERANCE													
						ANGLES	ANG.	±5°											
						LINEAR	0.	±0.3											
							0.0	±0.25											
							0.00	±0.20											
						SCALE	AS SHOWN	UNIT: mm	www.attend.com.tw										
A	③ Revise:						DRAWN	Willis	2012/08/03	DRAWN NAME: Micro SD Socket Top Mount,Push-Push Type									
	② Revise:						CHECKED	Angel	2012/08/03										
	① Revise: Updated version						2011/09/06			APPROVED	Ken	2012/08/03	PRODUCT NO.	112A-TAAR-R02					
REV.	DESCRIPTION				DATE	REV.	DESCRIPTION				DATE		SIZE A4	REV. 1.0	FILE NAME	112A-TAAR-R02_D_3			
1		2		3		4		5		6		7		8		9		10	

A

A

A

A

A

A