EN: This Datasheet/Document is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.

Accessories for 19” cabinets

Cable management rings



features

- provides vertical cable management in the cabinet

	width (mm)	depth (mm)
P/N: **RAX-D1-X44-X3**	40	40
P/N: **RAX-D1-X48-X3**	40	80
P/N: **RAX-D1-X88-X3**	80	80

19” cable management panel, metallic



features

- provides horizontal cable management in the cabinet
- set of M6 screws and captive nuts (4 pcs)

P/N: **RAB-VP-X01-A2**

Panel height	1U (44,5 mm)
Panel width	19” (482,6 mm)
Ring height	42 mm
Ring width	37 mm
Color	black RAL9005
Surface	structured, matt

19” cable management panel, plastic



features

- provides horizontal cable management in the cabinet
- set of M6 screws and captive nuts (4 pcs)

P/N: **RAB-VP-X02-A1**

Panel height	1U (44,5 mm)
Panel width	19” (482,6 mm)
Ring height	42 mm
Ring width	37 mm
Color	black RAL9005
Surface	structured, matt

Installation kit



features

- components for fixing a device into vertical rails
- 4 screws and, 4 captive nuts, 4 plastic washers

P/N: **RAX-MS-X19-X1**

Set of castors



features

- designed for all types of free standing cabinets and server racks
- 2 castors with a brake, 2 castors without a brake

P/N: **RAX-MS-X81-X1**

Capacity	800 kg

Stabilizers



features

- stabilizing footing prevents cabinets from tilting
- designed for all types of free standing cabinets and server racks with base

P/N: **RAB-SS-X01-X1**

Capacity	400 kg
Color	black RAL9005
Surface	structured, matt

19“ lighting unit



Width	19” (482,6 mm)
Height	1U (44,5 mm)
Depth	155 mm
Input	50 W
Surface	structured, matt

	color
P/N: **RAC-OJ-X01-A1**	gray RAL7035
P/N: **RAB-OJ-X01-A1**	black RAL9005

LED-diode lightning unit



features

- external adapter 12V / 230V
- efficient gripping in any part of a cabinet thanks to a magnet

P/N: **RAX-OJ-X07-X1**

Width	482,6 mm
Height	23,4 mm
Depth	24,5 mm
Input	4 W
cable length	3 m

19“ blanking panel



features

- covers cable openings in cabinets, which ensures effective cooling
- set of M6 screws and captive nuts (4 pcs)

Color	čierna RAL9005
Surface	structured, matt

	height	width
P/N: **RAB-ZP-X01-A1**	1U (44,5 mm)	19” (482,6 mm)
P/N: **RAB-ZP-X02-A1**	2U (88,5 mm)	19” (482,6 mm)

19“ cable entry panel



features

- provides horizontal cable management in the cabinet
- set of M6 screws and captive nuts (4 pcs)

P/N: **RAB-ZP-X03-A1**

Height	1U (44,5 mm)
Width	19” (482,6 mm)
Color	black RAL9005
Surface	structured, matt