




EN: This Datasheet/Document is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. LEWIS CHK R. SWING APVD E. REILES	28APR97 28APR97 28APR97	TE Connectivity	
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	NAME	MTA-100 POSTED CONNECTOR ASSEMBLY, CLOSED END, 22 AWG, TIN	
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES	± - ± - ± 0.20 [0.007] ± - ± - ± -	APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO
MATERIAL	FINISH	WEIGHT	A1	00779	647000
CUSTOMER DRAWING		SCALE	5:1	SHEET	1 OF 2

LOC	DIST	REVISIONS					
		#	LT#	DESCRIPTION	DATE	OWN	APVD
CM	00	-	-	SEE SHEET 1	-	-	-

1-640642-9	1-643077-9	4	2	45.72	1.800	48.95	1.927	50.80	2.000	19	4-647000-9
1-640642-8	1-643077-8	4	2	43.18	1.700	46.41	1.827	48.26	1.900	18	4-647000-8
1-640642-7	1-643077-7	4	2	40.64	1.600	43.87	1.727	45.72	1.800	17	4-647000-7
1-640642-6	1-643077-6	4	2	38.10	1.500	41.33	1.627	43.18	1.700	16	4-647000-6
1-640642-5	1-643077-5	4	2	35.56	1.400	38.79	1.527	40.64	1.600	15	4-647000-5
1-640642-4	1-643077-4	4	2	33.02	1.300	36.25	1.427	38.10	1.500	14	4-647000-4
1-640642-3	1-643077-3	4	2	30.48	1.200	33.71	1.327	35.56	1.400	13	4-647000-3
1-640642-2	1-643077-2	2	1	27.94	1.100	31.17	1.227	33.02	1.300	12	4-647000-2
1-640642-1	1-643077-1	2	1	25.40	1.000	28.63	1.127	30.48	1.200	11	4-647000-1
1-640642-0	1-643077-0	2	1	22.86	.900	26.09	1.027	27.94	1.100	10	4-647000-0
640642-9	643077-9	2	1	20.32	.800	23.55	.927	25.40	1.000	9	3-647000-9
640642-8	643077-8	2	0	17.78	.700	21.01	.827	22.86	.900	8	3-647000-8
640642-7	643077-7	0	0	15.24	.600	18.47	.727	20.32	.800	7	3-647000-7
640642-6	643077-6	0	0	12.70	.500	15.93	.627	17.78	.700	6	3-647000-6
640642-5	643077-5	0	0	10.16	.400	13.39	.527	15.24	.600	5	3-647000-5
640642-4	643077-4	0	0	7.62	.300	10.85	.427	12.70	.500	4	3-647000-4
640642-3	643077-3	0	0	5.08	.200	8.31	.327	10.16	.400	3	3-647000-3
-	643077-2	0	0	2.54	.100	5.77	.227	7.62	.300	2	3-647000-2
1-640642-9	1-643077-9	4	2	45.72	1.800	48.95	1.927	50.80	2.000	19	1-647000-9
1-640642-8	1-643077-8	4	2	43.18	1.700	46.41	1.827	48.26	1.900	18	1-647000-8
1-640642-7	1-643077-7	4	2	40.64	1.600	43.87	1.727	45.72	1.800	17	1-647000-7
1-640642-6	1-643077-6	4	2	38.10	1.500	41.33	1.627	43.18	1.700	16	1-647000-6
1-640642-5	1-643077-5	4	2	35.56	1.400	38.79	1.527	40.64	1.600	15	1-647000-5
1-640642-4	1-643077-4	4	2	33.02	1.300	36.25	1.427	38.10	1.500	14	1-647000-4
1-640642-3	1-643077-3	4	2	30.48	1.200	33.71	1.327	35.56	1.400	13	1-647000-3
1-640642-2	1-643077-2	2	1	27.94	1.100	31.17	1.227	33.02	1.300	12	1-647000-2
1-640642-1	1-643077-1	2	1	25.40	1.000	28.63	1.127	30.48	1.200	11	1-647000-1
1-640642-0	1-643077-0	2	1	22.86	.900	26.09	1.027	27.94	1.100	10	1-647000-0
640642-9	643077-9	2	1	20.32	.800	23.55	.927	25.40	1.000	9	647000-9
640642-8	643077-8	2	0	17.78	.700	21.01	.827	22.86	.900	8	647000-8
640642-7	643077-7	0	0	15.24	.600	18.47	.727	20.32	.800	7	647000-7
640642-6	643077-6	0	0	12.70	.500	15.93	.627	17.78	.700	6	647000-6
640642-5	643077-5	0	0	10.16	.400	13.39	.527	15.24	.600	5	647000-5
640642-4	643077-4	0	0	7.62	.300	10.85	.427	12.70	.500	4	647000-4
640642-3	643077-3	0	0	5.08	.200	8.31	.327	10.16	.400	3	647000-3
-	643077-2	0	0	2.54	.100	5.77	.227	7.62	.300	2	647000-2
DUST COVER	STRAIN RELIEF COVERS	QTY OF GUSSET RIBS	QTY OF CENTRAL RAILS	MM	IN	MM	IN	MM	IN	NO. OF CIRCUITS	PART NO
4	ACCESSORIES	8	5	C		B		A			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm [INCHES]

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC

± -
± -
± -
± -
± -

ANGLES

± -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC

± -
± -
± -
± -
± -

FINISH

1

DWN
B. LEWIS
CHK
R. SWING
APVD
E. BEILES

28APR97
28APR97
28APR97

NAME

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

SIZE

CAGE CODE

DRAWING NO

SCALE

SHEET

OF

REV

RESTRICTED TO

H

TE

TE Connectivity

MTA-100 POSTED CONNECTOR
ASSEMBLY,CLOSED END,22 AWG,TIN

A100779

647000

1:1

2

2

H