



EN: This Datasheet/Document is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.

Right Angle PCB Mount D-Sub Connectors 5504F1 Series

multicompPRO



Specifications:

Material:

Insulator	: Glass-filled Thermoplastic
Colour of Insulator	: Black
Contact	: Pin – Brass Socket – Phosphor Bronze
Contact Finish	: Mating Area – Selective Gold Plated Over 50µ" min. Nickel Termination Area – 100µ" min. Tin/Lead Plated over 50µ" min. Nickel
Metal Shell	: Carbon Steel
Shell Finish	: 50µ" min. Nickel Plated with Plated with Yellow Zinc Chromate Coating, Or 100µ" min. Tin/Lead Plated Over 50µ" min. Nickel, Or 100µ" min. Nickel Plated
Boardlock	: Phosphor Bronze, 100µ" min. Tin/Lead Plated
Clinch Nut	: Brass, 100µ" min. Nickel Plated
Screwlock	: Brass, 100µ" min. Nickel Plated

Electrical:

Contact Resistance	: 20mΩ max. At 1A DC
Insulation Resistance	: 1,000MΩ at 500V DC
Dielectric withstanding Voltage	: 1,000V AC/RMS 60Hz for one minute
Current Rating	: 5A per Contact
Voltage Rating	: 250V AC/RMS 60Hz


Mechanical:

Single Contact Insertion Force	: 540 Grams Max.
Single Contact withdrawal Force	: 60 Grams Min.
Durability	: 125 Cycles at 15µ" Gold Plated 250 Cycles at 30µ" Gold Plated

Right Angle PCB Mount D-Sub Connectors 5504F1 Series

multicompPRO

Diagram



Part Number Table

Description	No of Positions	Part Number
PCB Mount D-Sub Connectors, Socket	9	5504F1-09S-02-03-F1
	15	5504F1-15S-02-03-F1
	25	5504F1-25S-02-03-F1
	37	5504F1-37S-02-03-F1

Dimensions : Millimetres

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
sg.element14.com/b/multicomp-pro

multicompPRO