




EN: This Datasheet/Document is presented by the manufacturer.




Please visit our website for pricing and availability at www.hestore.hu.



断面D-D
SECT.D-D

下面図
BOTTOM VIEW

REVISED EC NO: J2005-0105 2004/07/13 DRAWN: MWABEI 2004/07/13 CHKD: KTOJO 2004/07/14 APPR: NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	52207-**-19	MODEL NO.		
				MM ONLY		---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY MNINOMIY	DATE '04/02/06	TITLE 1.0 PITCH FPC CONN ZIF SMT -LEAD FREE-				
		10 OVER 30 UNDER	±0.25	CHECKED BY KTOJO	DATE '04/02/06					
		30 OVER	±0.3	APPROVED BY MSASAO	DATE '04/02/06	MOLEX INCORPORATED				
	ANGULAR ±3 °	MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52207-060			2 OF 2		
REV			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



24	29.4	25.4	18.5	15	11.7	17.3	52207-1185	11
			17.5	14	10.7	16.3	4 -1085	10
			16.5	13	9.7	15.3	-0985	9
			15.5	12	8.7	14.3	-0885	8
			14.5	11	7.7	13.3	-0785	7
			13.5	10	6.7	12.3	-0685	6
			12.5	9	5.7	11.3	-0585	5
			11.5	8	4.7	10.3	-0485	4
16	21.4	17.4	10.5	7	3.7	9.3	52207-0385	3
キャリアテープ幅 CARRIER TAPE WIDTH	H	E	(D)	(C)	(B)	(A)	MATERIAL NO.	極数 CKT.

52207-**-85	MODEL NO.	材料 MATERIAL	注記参照 SEE NOTES	材料 MATERIAL	モレックス株式会社 MOLEX-JAPAN CO.,LTD.
角度 ANGLE	30°	仕上げ FINISH	—	適用電線範囲 WIRE RANGE	—
30以上 OVER	±0.5	被覆外径 INS. RANGE	—	DRAWN BY '04/02/06	CHK'D BY '04/02/06
10以上 30未満 OVER UNDER	±0.25	REVISION RECORD	変更 REVISED	M.NINOMIYA	K.TOJO
10未満 UNDER	±0.2	変更内容 REVISION RECORD	新規作成 RELEASED	M.NINOMIYA	K.TOJO
一般公差 GENERAL TOLERANCES	記号 LTR	変更内容 REVISION RECORD	変更内容 REVISION RECORD	日付 DATE	尺度 SCALE

